

**STRENGTH & SECURITY,  
WE'LL BRING THE  
How To.**



# **GARAGE DOORS**

ROLLER | SECTIONAL | TILT | DOOR OPERATORS

# GARAGE DOORS

QUALITY, STYLE AND SECURITY

## ROLLER DOORS

### SMOOTH AND QUIET

Stratco Roller Doors are made to the highest manufacturing standards to provide the smoothest, quietest roller doors on the market. We follow a strict checklist using the highest quality parts to produce our superior quality doors. Using the best quality springs ensures the door will operate up and down with ease for years to come. Locks are fully fitted to all doors in manufacture. Stratco Roller Doors use a heavier duty bottom rail for extra security and strength. Nylofelt strip is used to give the door a noiseless and grease free operation.

### BIG OR SMALL

Stratco produce all standard size roller doors as well as customised doors up to a huge 5.6 metres wide and 5 metres high. Counter top and/or personal access doors are also manufactured, starting as small as 900mm wide.

*"Keep safe and secure with a strong and durable Stratco Garage Door"*

### NO ROOM? - NO PROBLEM

Need to get a motor into tight side room? Recess drum wheels are available by request. In conjunction with the RDO 12 slim line 24V high torque motor, door and motor can be fitted onto 'a 90mm post'. We can also manufacture a reversed-roll roller door for the purpose of fitting the door to the outside of your opening.


### GREAT FINISH

Stratco Roller Doors feature a chrome lock which provides an appealing finish and greater longevity over a plastic lock. 'Key-to-like' is available by request.



### ROLLER DOOR DIMENSIONS

Door Series	Opening Height (mm)	Headroom (mm)				
	A	B	C	D	E	
A & AA	1200	430	265	165	460	
	2200	450	270	170	485	
	2400	455	275	180	505	
	2800	485	295	190	515	
	3000	495	300	195	525	
B	3900	525	310	210	565	
	4600	535	325	210	580	
	5100	550	340	210	595	



# CYCLOCK ROLLER DOOR

## SUPERIOR STRENGTH AND SECURITY

Stratco Cyclock Roller Doors have been developed to provide great strength and security through its unique design and outstanding engineering. The Cyclock Roller Door Guide Channel System holds the door firmly in position to prevent damage caused by high winds. It also acts as an extra safe-guard against 'break-ins', because it is extremely hard to push the curtain inwards to gain unwanted entry.

## DESIGNED & ENGINEERED FOR THE EXTREME


Cyclock doors incorporate a unique Triple Tracking System that interlocks with the locking hooks that are secured to each side of the door. This prevents the door from coming out of its tracks in a high wind environment. The design of the doors together with Cyclock system ensures a smooth operation with exceptional wind load characteristics.

## WIND LOADS

Where there is a C2 Wind Load Rating for areas subject to high wind conditions, or for very wide openings, roller doors should be fitted with Cyclock to prevent the curtain from disengaging from the guides under wind pressure.

## AUSTRALIAN STANDARDS COMPLIANT

Investigation and calculations for the Stratco Cyclock System comply with Australian Standard AS/NZS 1170.2:2011 Structural Design Actions, Wind Actions, AS4100 Steel Structures, AS/NZS 4505:2012 Garage Doors & Other Large Access Doors, subject to proper fixing of the bracket to an approved supporting structure for Cyclock Doors up to 5400mm wide.



CYCLOCK ROLLER DOOR GUIDE CHANNEL SYSTEM

## GARAGE DOOR ACCESSORIES

### DIGITAL KEYLESS ENTRY WIRELESS KEYPAD

Allows entry into your garage if a hand transmitter is not available. A wall mounted keypad with cover that can be programmed with codes from 4 to 8 digits for maximum security. Includes a back-light for your convenience when used in poor lighting situations.



### MULTI-FUNCTION HAND TRANSMITTER

Stylish and robust remote that can be used for up to four individual doors operators.



### PHOTO EYE PROTECTION

Transmits an invisible light across the inside of your garage door opening, providing added protection against a door operating when a car or person is in the door opening area.



### EMERGENCY KEY RELEASE

Allows access to the garage in case of malfunction or power failure.



### BATTERY BACK-UP

Also used in case of malfunction or power failure, the battery back-up allows electronic operation of your garage door.

## WE'VE GOT GARAGE DOOR **HowTo.**

Talk to our garage door experts to sort out your garage door needs. Everything you need to know to is in our head.

Just tell us what's in yours and we'll make it happen



## SECTIONAL DOORS

### ELEGANT AND SOPHISTICATED

Create an elegant and sophisticated entrance with Stratco Sectional Panel Lift Doors. Made from hinged panels that slide along tracks as the door opens and closes, Sectional Garage Doors do not protrude into the driveway when operating and lay parallel with the ceiling when open. For openings with low ceiling heights, Sectional Panel Doors are often a better fit than roller doors.

Our sectional garage door is one of the strongest available. We use galvanized steel hinges that are fully adjustable, so the outside finish is perfectly flat and has minimal gaps around the edge of the door. Looking at the Silvain style sectional door, it is almost impossible to see the joins in-between the panels. This creates a truly professional clean look for your door. All parts are hot dipped galvanised with quality grade steel ribs (not zinc plated, or plastic struts) used between the panels for greater strength. 25,000 cycle springs are used as standard. Higher cycle springs can be manufactured for unit complexes and other doors that require commercial frequency opening.

### SECTIONAL GARAGE DOOR FEATURES

- Features the latest anti-finger-crush design
- Super quiet, low maintenance
- Requires minimum drive-through clearance
- Operates by lifting vertically, hinging at the top of the opening and running horizontally under the ceiling
- Rigid, Premium Pre-Painted Colour Coated Steel with attractive woodgrain or smooth finishes
- Optional durable powder coat finish in a huge range of decorator colours
- Manufactured to span widths up to a massive 6700mm wide
- Customised springing to ensure the lightest possible opening operation
- Heavy duty galvanised steel tracks, wind struts and fittings
- Custom-made sectional doors are also available.


### THE SILVAIN

*Designed to depict a timber plank door with an attractive embossed design and a woodgrain pattern.*




### THE SMOOTH

*Features a smooth ribbed panel design for a contemporary slatted appearance.*



### THE FLAT PANEL

*Features a wider flat panel design for a minimalist look with clean, sharp lines.*





## TILT DOORS

### STRONG, SMOOTH AND QUIET

Tilt Garage Doors use pivoting arms to move a single panel door. The pivoting arms shift the door so it is moved into the ceiling space when in the open position. This is done by moving the door out and up from the closed position.

Stratco are one of the few local manufacturers of tilt doors. All of our huge range of hinges and tracks are hot dipped galvanised so they will never rust.

Panels are available in a choice of modern looking sectional door panels through to the inexpensive K-panel or an even cheaper Zinc/al panel. Tilt Garage Doors feature a very rigid construction and are made locally.

### TILT GARAGE DOOR FEATURES

- Galvanised steel heavy duty hinges
- Super smooth and quiet
- Stylish designs
- Colour coded rivets
- Powder coating available
- Solid T-Handle lock sets
- Motors designed for tilt doors
- Optional Belt Drive rail.



# GARAGE DOORS

QUALITY, STYLE AND SECURITY

## COLOUR YOUR WORLD

Stratco Garage Doors are available in a range of 5 standard pre-painted steel colours and an additional 21 premium powder coated colours to match or contrast with your home's colour scheme. Sectional doors are also available in a choice of 6 attractive timber-look finishes to add extra style and sophistication to your home.

So whether you choose calming hues or bold tones for your garage, you will find a colour that's just right for you. Speak to your Stratco Garage Doors consultant for more great ideas and colour samples.

### STANDARD PRE-PAINTED RANGE

OFF WHITE



SMOOTH CREAM



MERINO



BANYAN BROWN



SLATE GREY



### PREMIUM POWDER COATED RANGE

RIPPLESAND



RIVER REED



DRIFTWOOD



COBBLESTONE



TUSCAN RED



HERITAGE RED




RED DUST



CARDINAL



GULL GREY



BIRCH



ARMOUR GREY



GRANITE



DARK STONE



MOUNTAIN BLUE



GUNMETAL GREY



EBONY



MOSS VALE SAND



MIST GREEN



RIVERGUM



WILD SAGE



CAULFIELD GREEN



### TIMBERTONE RANGE

NATURAL



CYPRESS



TASMANIAN OAK



CLASSIC



CEDAR



MAHOGANY



Colours shown may vary due to the printing process. Accurate colour samples are available in-store.



# AUTOMATIC DOOR OPERATORS

## RDO 12 ROLLER DOOR MOTOR

The RDO 12 is what's known as a two-piece operator. A control box is positioned on the wall and the motor unit is mounted in the end of the roller door assembly. It is the motor of choice due to its reliability, versatility and strength. Designed for minimal side room, the motor is covered with a 5 year warranty. The control box can be fitted away from the motor unit with the addition of an extension cable.

- High torque, whisper quiet motor lifts up to 15m<sup>2</sup> door
- Includes 2 stylish alloy body hand transmitters
- Transmitters feature rolling codes for added security
- Manual release - 'one pull' disengage and re-engage manual release cable to use in case of power failure
- User friendly controls are reliable, safe and flexible.



### RDO 12 TECHNICAL SPECIFICATIONS

Power Input	220V AC +- 10% 50Hz
Motor	24V Permanent Magnetic DC
Courtesy Light Time	3 minutes
Working Temperature	-20°C ~ 70°C
Relative Humidity	< 90%
Open & Close Force	800N = ½ horsepower
Reception Frequency	303MHz & 433MHz
Sensitivity	> 1V for correct receiver signal (average range 50m, with an aerial)
Decoding	Rolling code 23A
Transmitter Power	24V
Globe	LED bulbs

## RDO 30 ROLLER DOOR MOTOR

The RDO 30 is a one-piece operator that is mounted in the end of the roller door assembly. It is reliable, versatile and strong and includes a handy inbuilt courtesy light. Designed for minimal side room, the motor is covered with a 5 year warranty.

- Requires only 40mm side room
- Automatic safety reverse/door stop
- Transmitters feature rolling codes
- Smooth and quiet operation
- Automatic light delay
- Manual release handle in case of power failure
- Easy to set mechanical limits.



### RDO 30 TECHNICAL SPECIFICATIONS

Power Input	220-240V AC 50Hz
Motor	24V DC 235W
Courtesy Light Time	3 minutes
Working Temperature	-20°C ~ 40°C
Relative Humidity	< 90%
Open & Close Force	400N (40kg)
Reception Frequency	433.92MHz
Sensitivity	> 1V for correct receiver signal (average range 50m, with an aerial)
Decoding	Rolling code
Transmitter Power	24V
Globe	LED bulbs



## SDO 800 SECTIONAL DOOR MOTOR

The SDO 800 is a super quiet and stylish garage door operator that is designed for both sectional and tilt doors and provides secure and reliable operation. The motor is covered with a 5 year warranty.

- Soft start, soft close - greatly reduces wear and tear on all components and reduces noise
- Includes 3 stylish alloy body hand transmitters
- Motor rail - full length C-channel rail for increased strength and stability with an auto-reconnect self-lubricating trolley made of high impact fibre filled nylon (rails are available in varying lengths for different door heights)
- Includes manual release cable in case of power failure
- Belt tensioner - spring loaded chain tensioning system reduces noise, wear and tear by taking up excess slack in the chain or belt
- User friendly controls are reliable, safe and flexible
- Six core cable belt drive system is supplied as standard to make the SDO 800 motor virtually noiseless.



### SDO 800 TECHNICAL SPECIFICATIONS

Power Input	220V AC +- 10% 50Hz
Motor	24V DC 100W
Courtesy Light Time	3 minutes
Working Temperature	-20°C ~ 70°C
Relative Humidity	< 90%
Open & Close Force	800N = ½ horsepower
Reception Frequency	303MHz & 433MHz
Sensitivity	> 1V for correct receiver signal (average range 50m, with an aerial)
Decoding	Rolling code 23A
Transmitter Power	24V battery
Globe	24V LED bulbs





**SHED QUARTERS**



« SCAN THIS QR CODE TO FIND A STRATCO NEAR YOU

**1300 155 155**  
**stratco.com.au**

All brands and logos/images accompanied by © or ™ are trade marks of Stratco (Australia) Pty Limited. © Copyright December 2017

**How To.**

